

Philips Modea mirror TV

42"

LCD HD Ready

42PM8822



# The TV that reflects your style

### A total new product experience

Philips Modea Mirror TV with Miravision technology is a unique product that combines the practical qualities of a stylish mirror with the benefits of a high-resolution LCD television that will continue to delight you.

#### Slim, stylish design to complement your interior

- Unique Miravision concept: A mirror when off, a TV when on
- · Compact and slim design that fits in every room
- A customizable frame to match your interior design

#### **Breathtaking natural pictures**

- HD LCD WXGA display, with a 1366  $\times$  768p resolution
- · HD Ready for the highest quality display of HD signals
- Split screen for dual video/PC display
- Progressive Scan component video for optimized image quality
- · PiP allows watching a second source simultaneously

#### Advanced connection to your audio/video products

• DVI-D provides the best digital picture

#### **Convenient for custom installation**

- RS232 interface for remote management
- Prepared for recessed installation



## Highlights

#### Miravision technology

Miravision technology is unique as it provides the practical qualities of a stylish mirror when off, with the benefits of a high-resolution LCD television when on.

#### **Customizable frame**

As no two styles are the same, the Mirror TV has a simple removable and customizable frame to match anyone's interior design. Its specially designed click-on system enhances the ease of installation.

#### **HD Ready**



Enjoy the exceptional picture quality of High Definition pictures and be fully prepared for HD sources like HDTV settop box or Blu-ray disc. HD Ready is a protected label that offers picture quality beyond that of progressive scan. It conforms to strict standards laid out by EICTA to offer a HD screen that displays the

benefits of resolution and picture quality of a High Definition signal. It has a universal connection for both analog YPbPr and uncompressed Digital connection of DVI or HDMI, supporting HDCP. It can display 720p, and 1080i signals at 50 and 60Hz.

#### **Picture by Picture**

PBP splits a screen in two parts for the simultaneous display from a PC graphic in one half and video content in another.

#### **Progressive Scan**



Progressive Scan doubles the vertical resolution of the image resulting in a noticeably sharper picture. Instead of sending a field comprising the odd lines to the screen first, followed by the field with the even lines, both fields are written at one time. A full image is created instantaneously, using the maximum

resolution. At such a speed, your eye perceives a sharper picture with no line structure.

#### **Picture In Picture (PIP)**

Provides the ability to watch simultaneously two different sources, either two video sources or a combination with data/graphics

#### **DVI-D** input

A DVI-D input makes an uncompressed digital RGB connection from source to screen. By eliminating the conversion of the digital signal to analog, it delivers an unblemished image. Thanks to the non-degraded signal, you get less flicker and a clearer picture. The DVI input is fully backward compatible with HDMI sources, and also uses HDCP copy protection.

#### **RS232** remote management

RS232 interface for remote management makes it possible to control several different products simultanuously such as advanced A/V receivers, DVD players, lighting, heating, ventilation and air conditioning systems.

#### **Recessed mounting prepared**

Enhance your interior design by recessing your TV inside the wall by means of the special mounting provisions of the Mirror TV.











### Specifications

#### Picture/Display

- Aspect ratio: 16:9
- Brightness: 500 cd/m<sup>2</sup>
- Contrast ratio (typical): 1000:1
- Diagonal screen size: 42 inch / 107 cm
- Display screen type: LCD WXGA Active Matrix TFT
- Panel resolution: 1366 x 768p
- Picture enhancement: Progressive Scan, 3D Combfilter, Picture in Picture, Picture by Picture
- Viewing angle (H / V): 178 / 178 degree
- Response time (typical): 10 ms

#### **Supported Display Resolution**

Computer formats

Resolution	Refresh rate
$640 \times 480$	60, 75Hz
$720 \times 400$	70Hz
$800 \times 600$	60, 75Hz
$1024 \times 768$	60, 75Hz
$1280 \times 768$	60Hz
$1366 \times 768$	60Hz

· Video formats

Resolution	Refresh rate
480i	60Hz
480p	60Hz
576i	50Hz
576p	50Hz
720 <sub>p</sub>	50, 60Hz
1080i	50Hz
1080i	60Hz

#### Convenience

- Ease of Installation: Automatic Tuning System (ATS), Autostore, Fine Tuning, Program Name, Sorting, PLL Digital Tuning
- Ease of Use: Auto Volume Leveller (AVL), Smart Picture, Smart Sound
- Remote control type: RC1124134/01
- Teletext: 1 page Teletext
- Remote Control: Multi-functional
- Screen Format Adjustments: 4:3, Movie expand 16:9, Super Zoom, Widescreen
- On-Screen Display languages: English, French, German, Simplified Chinese, Spanish, Italian
- VESA Mount: 600 x 400 mm
- Other convenience: Kensington lock

#### Tuner/Reception/Transmission

- Tuner bands: Hyperband, S-Channel, UHF, VHF
- TV system: PAL, SECAM
- · Video Playback: PAL, SECAM
- · Aerial Input: 75 ohm coaxial (IEC75)
- Tuner Display: PLL
- Number of Preset Channels: 100

#### Connectivity

- Ext 1 Scart: Audio L/R, CVBS in/out, RGB
- PC: 3.5 mm PC audio input x1, DVI-D with HDCP, RS232 D-Sub9, VGA-in D-Sub 15HD, VGA-out D-Sub 15HD
- Audio output: Stereo Audio (3.5 mm jack) 1x
- AV input: Component (YPbPr) x1, Audio (L/R) for YPbPr x1, Composite (CVBS) x1, Audio (L/R) x1, S-video x1
- AV output: Composite (CVBS) x1, Audio (L/R) x1
- Connectivity Enhancements: External Loudspeaker connector

#### **Power**

- Power consumption: 140 (PC) / 220 (TV) W
- Standby power consumption: 3W <
- Ambient temperature: 0 °C to 35 °C
- Mains power: 90-264 VAC, 50/60 Hz, Built-in

#### **Dimensions**


- Color cabinet: Decorative frame Silver
- Set dimensions (W  $\times$  H  $\times$  D): 1127  $\times$  717  $\times$  161 mm
- Set weight: 40 kg
- Box dimensions (W x H x D): 1260 x 825 x 390 mm
- Weight incl. Packaging: 49 kg

#### Accessories

 Included Accessories: Power cord, Registration card, Remote Control, User Manual, Batteries for remote control, Wall mounting bracket, DVI-D cable, Audio Cable, VGA cable, Installation CD

#### Sound

- Output power (RMS): 2 x 10 W
- · Sound System: Stereo





Issue date 2009-08-06

Version: 1.0.3

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips Electronics N.V. or their respective owners.

12 NC: 8670 000 23835 EAN: 87 10895 93861 7

www.philips.com